

ID	FROM (m)	TO (m)	Drilling Interval (m)	AVG % Cg	AZIMUTH	DIP
55-SCP-DDH-001	9.00	25.00	16.0	1.75	0	-90
	25.00	74.60	49.6	3.45		
	74.60	79.85	5.3	<0.05		
55-SCP-DDH-002	13.00	38.95	26.0	0.33	70	-79
	38.95	65.12	26.2	3.32		
	65.12	67.00	1.9	0.65		
	67.00	69.05	2.1	<0.05		
55-SCP-DDH-003	9.14	22.00	12.9	1.86	70	-80
	22.00	30.00	8.0	0.64		
	30.00	40.00	10.0	1.18		
	40.00	69	29.0	0.49		
	69.00	69.95	1.0	0.78		
55-SCP-DDH-004	0.00	4.00	4.0	0.57	240	-80
	4.00	14.00	10.0	1.72		
	14.00	18.30	4.3	0.4		
	18.30	22.95	4.7	2.84		
	22.95	34.00	11.1	0.58		
	34.00	36.00	2.0	1.85		
	36.00	52.00	16.0	0.58		
	52.00	54.00	2.0	0.34		
55-SCP-DDH-005	0.00	20.00	20.0	0.08	240	-75
	20.00	39.00	19.0	2.69		
	39.00	41.00	2.0	0.53		
55-SCP-DDH-006	16.00	18.00	2.0	<0.05	75	-65
	18.00	22.00	4.0	1.11		
	22.00	36.00	14.0	0.29		
	60.00	68.00	8.0	<0.05		
55-SCP-DDH-007*	4.00	6.00	2.0	0.17	75	-58
	6.00	12.00	6.0	2.39		
	12.00	22.00	10.0	0.32		
	22.00	24.00	2.0	2.25		
	24.00	26.00	2.0	0.24		
	26.00	30.00	4.0	2.38		
	30.00	50.00	20.0	1.12		
	<b>50.00</b>	<b>50.80</b>	<b>0.8</b>	<b>1.54</b>		
55-SCP-DDH-008	8.00	12.00	4.0	0.49	90	-80
	12.00	28.00	16.0	2.07		
	28.00	34.00	6.0	0.07		
	34.00	44	10.0	2.10		
	44	88	44.0	0.21		
	88	89.10	1.1	<0.05		

ID	FROM (m)	TO (m)	Drilling Interval (m)	AVG % Cg	AZIMUTH	DIP
55-SPC-RC-001	10.00	14.00	4.0	0.69	0	-90
	14.00	16.00	2.0	6.90		
	16.00	25.00	9.0	1.68		
	25.00	29.00	4.0	0.72		
	29.00	30.00	1.0	0.80		
55-SPC-RC-002*	0.00	2.00	2.0	0.62	180	-76
	2.00	12.00	10.0	1.95		
	12.00	15.00	3.0	0.88		
	15.00	21.00	6.0	2.00		
	21.00	31.00	10.0	0.65		
	31.00	41.00	10.0	1.17		
	<b>41.00</b>	<b>42.00</b>	<b>1.0</b>	<b>1.4</b>		
55-SPC-RC-003*	0.00	29.00	29.0	0.42	240	-80
	29.00	38.00	9.0	1.49		
	<b>38.00</b>	<b>39.00</b>	<b>1.0</b>	<b>1.49</b>		
55-SPC-RC-004	0.00	1.00	1.0	3.50	240	-80
	1.00	2.00	1.0	1.87		
	2.00	26.00	24.0	0.52		
	26.00	27.00	1.0	0.28		
55-SPC-RC-005A*	0.00	1.00	1.0	0.71	0	-90
	1.00	9.00	8.0	1.61		
	9.00	12.00	3.0	0.69		
	12.00	13.00	1.0	1.09		
	13.00	14.00	1.0	0.48		
	14.00	26.00	12.0	2.66		
	<b>26.00</b>	<b>26.50</b>	<b>0.5</b>	<b>2.14</b>		
55-SPC-RC-005B*	24.00	30.00	6.0	2.17	0	-90
	30.00	31.00	1.0	0.36		
	31.00	37.00	6.0	1.75		
	37.00	45.00	8.0	3.00		
	<b>45.00</b>	<b>45.75</b>	<b>0.8</b>	<b>3.4</b>		
55-SPC-RC-006	0.00	34.00	34.0	0.06	0	-90
	34.00	35.00	1.0	4.65		
	35.00	42.00	7.0	0.08		
55-SPC-RC-007	0.00	25.00		NA	150	-80
55-SPC-RC-008*	11.00	16.00	5.0	0.41	60	-80
	16.00	17.00	1.0	1.34		
	17.00	19.00	2.0	0.40		
	19.00	20.00	1.0	6.16		
	20.00	21.00	1.0	3.98		
	21.00	22.00	1.0	5.59		
	22.00	23.00	1.0	1.91		
	23.00	24.00	1.0	3.42		
	24.00	36.00	12.0	3.25		
	<b>36.00</b>	<b>37.00</b>	<b>1.0</b>	<b>3.48</b>		

ID	FROM (m)	TO (m)	Drilling Interval (m)	AVG % Cg	AZIMUTH	DIP
55-SPC-RC-009	31.00	51.00	20.0	0.03	55	-73
	51.00	52.00	1.0	<0.05		
55-SPC-RC-010	8.00	34.00	26.0	<0.05	240	-80
	34.00	45.00	11.0	0.11		
	45.00	51.00	6.0	0.11		
	51.00	63.00	12.0	<0.05		
55-SPC-RC-011	0.00	15.00	15.0	<0.05	240	-80
	15.00	17.00	2.0	1.1		
	17.00	69	52.0	0.08		
	69.00	69.50	0.5	0.29		
55-SPC-RC-012	1.00	21.00	20.0	0.29	0	-90
	21.00	44.00	23.0	<0.05		
55-SPC-RC-013*	10.00	13.00	3.0	1.55	0	-90
	13.00	31.00	18.0	3.04		
	31.00	34.00	3.0	2.27		
	34.00	49	15.0	1.26		
	49.00	69.00	20.0	3.2		
	<b>69.00</b>	<b>70.00</b>	<b>1.0</b>	<b>5.57</b>		
55-SPC-RC-014	7.00	16.00	9.0	0.1	0	-90
	16.00	17.00	1.0	1.71		
	17.00	20.00	3.0	4.49		
	20.00	24.00	4.0	1.47		
	24.00	53.00	29.0	0.08		
55-SPC-RC-015	0.00	1.00	1.0	1.46	240	-65
	1.00	8.00	7.0	3.21		
	8.00	11.00	3.0	0.16		
	11.00	15.00	4.0	<0.05		
	15.00	21.00	6.0	0.33		
	21.00	28.00	7.0	<0.05		
55-SPC-RC-016	0.00	2.00	2.0	0.43	60	-70
	2.00	29.00	27.0	3.42		
	29.00	31.00	2.0	1.88		
	31.00	32.00	1.0	11.81		
	<b>32.00</b>	<b>33.00</b>	<b>1.0</b>	<b>1.94</b>		
55-SPC-RC-017*	0.00	1.00	1.0	<0.05	0	-90
	1.00	2.00	1.0	0.6		
	2.00	3.00	1.0	1.83		
	3.00	6.00	3.0	3.95		
	6.00	13.00	7.0	2.47		
	13.00	26.00	13.0	2.00		
	<b>26.00</b>	<b>27.00</b>	<b>1.0</b>	<b>1.39</b>		
55-SPC-RC-018	5.00	10.00	5.0	0.15	0	-90
	10.00	22.00	12.0	1.77		
	22.00	24.00	2.0	0.28		

ID	FROM (m)	TO (m)	Drilling Interval (m)	AVG % Cg	AZIMUTH	DIP
55-SPC-RC-019	7.00	10.00	3.0	0.41	82	-75
	10.00	12.00	2.0	1.16		
	12.00	32.50	20.5	0.07		
55-SPC-RC-020	6.00	24.00	18.0	0.21	30	-76
	24.00	27.00	3.0	3.6		
	27.00	29.00	2.0	1.58		
	29.00	37.00	8.0	0.37		
	37.00	38.00	1.0	0.05		
55-SPC-RC-021	18.00	39.00	21.0	0.13	80	-75
55-SPC-RC-022	7.00	31.00	24.0	0.28	50	-75
	31.00	36.00	5.0	0.95		
	36.00	41.00	5.0	0.19		
55-SPC-RC-023	16.00	41.00	25.0	0.09	0	-90
55-SPC-RC-024*	3.00	17.00	14.0	0.18	0	-90
	17.00	30.00	13.0	3.58		
	<b>30.00</b>	<b>31.00</b>	<b>1.0</b>	<b>1.96</b>		
55-SPC-RC-025	2.00	13.00	11.0	<0.05	85	-75
	13.00	15.00	2.0	1.68		
	15.00	57.00	42.0	0.05		
55-SPC-RC-026	37.00	38.00	1.0	0.11	30	-75
	38.00	39.00	1.0	0.85		
	39.00	48.00	9.0	<0.05		
55-SPC-RC-027	1.00	4.00	3.0	<0.05	115	-75
	4.00	24.00	20.0	0.13		
55-SPC-RC-028	0.00	17.00		NA	0	-90
55-SPC-RC-029	0.00	9.00		NA	0	-90
55-SPC-RC-030*	1.00	2.00	1.0	0.87	0	-90
	2.00	3.00	1.0	0.25		
	3.00	4.00	1.0	1.8		
	4.00	8.00	4.0	0.13		
	8.00	14.00	6.0	1.26		
	14.00	20.00	6.0	0.16		
	20.00	32.00	12.0	3.7		
	32.00	38.00	6.0	0.7		
	38.00	47.00	9.0	1.39		
	47.00	50.00	3.0	2.37		
	<b>50.00</b>	<b>51.00</b>	<b>1.0</b>	<b>4.68</b>		
55-SPC-RC-031	0.00	10.00	10.0	5.09	175	-75
	10.00	14.00	4.0	0.17		
	14.00	15.00	1.0	1.85		
	15.00	35.00	20.0	0.15		
55-SPC-RC-032	0.00	1.00	1.0	0.63	0	-90
	1.00	7.00	6.0	2.12		
	7.00	47.00	40.0	0.18		

\* Hole Ended in Mineralization Above Cutoff